Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	490	((compound composite) adj2 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:28
L2	3	1 and ((split$5 divid$3) near4 (message$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:39
L3	10	1 and ((split$5 divid$3) with (message$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:34
L4	85	1 and ((transform$5 translat$3 convert$3) with (message$1 result$1 response$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	'OFF	2005/12/08 10:35
L5	13	4 and xml and (xsl style$1sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:38
L6	1139	service$1 and xml and (xsl style$1sheet) and ((transform$5 translat$3 convert$3) with (message$1 result$1 response$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:38
L7	11	6 and ((split$5 divid$3) near4 (message$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:40
L8	7974	((split$5 divid$3) near4 (message$1 request$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:40
L9	192	8 and (merg$3 near5 (result$1 message$1 response$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:40

L10	4	9 and xml and (xsl style$1sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:40
S1	124	(compound adj2 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:27
S2	26	S1 and (request$3 with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:58
S3	23	S2 and ((module$1 function$1 bean component$1 object$1) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	124	(compound adj2 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:50
S2	26	S1 and (request$3 with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:58
S3	23	S2 and ((module$1 function$1 bean component$1 object$1) with service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:59
S4	490	(compound composite) adj2 service$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:56
S5	125	S4 and (split$6 divid$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:56
S6	3	S4 and ((split$6 divid$3) near5 (message$1 request$1 query))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:11
S7	8857	((split$6 divid$3) near4 (message$1 request$1 query))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:11
S8	206	S7 and (merg$3 with (result$1 response$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:12
S9	1	S8 and 719/310,311-320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:13

S10	4	S8 and (web adj service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:13
S11	127	S8 and service$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:14
S12	33	S11 and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:14
S13	50	S11 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:14
S14	1379	service$1 and (xml with xsl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:51
S15	249	service$1 same (xml with xsl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:51
S16	5	S15 and ((compound composite) adj2 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:52
S17	2	S15 and ((tree graph) adj2 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:52
S18	10	S15 and ((tree graph) near5 service$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 13:52

Google

Web   Images   Groups   News   Froogle   Local^{New!}   more »

divide message request   Search   Advanced Search
                                      Preferences

Web

Results **1 - 10** of about **3,240,000** for <u>divide</u> <u>message</u> <u>request</u> . (0.20 seconds)

Information_Systems_Forum : Message: FW: Digital **Divide** Network ...
——original **message**—— Date: Fri, 2 Aug 2002 12:35:29 -0400 From: Diana
Schneider <Diana@...> Subject: Digital **Divide** Network **Request** for Submissions! ...
groups.yahoo.com/group/Information_ Systems_Forum/**message**/585 - 17k - <u>Cached</u> - <u>Similar pages</u>

[Isait] FW: Digital **Divide** Network **Request** for Submissions
[Isait] FW: Digital **Divide** Network **Request** for Submissions. Maria Papadakis
mpapadak at vt.edu Wed Oct 31 22:52:34 EST 2001. Previous **message**: [Isait] FW: ...
malagigi.cddc.vt.edu/pipermail/ isait/2001-November/000060.html - 6k - <u>Cached</u> - <u>Similar pages</u>

WebApp Sec: RE: A new Sanctum white paper: "**Divide** and Conquer ...
send the **request** to /index.html automatically, alhtough in theory it may ...
Previous **message** : Weiler, Jim: "RE: A new Sanctum white paper: "**Divide** and ...
seclists.org/lists/webappsec/2004/Jan-Mar/0331.html - <u>Similar pages</u>

    WebApp Sec: RE: A new Sanctum white paper: "**Divide** and Conquer ...
    after the first user **request** to the redir page (I can see them using ...
    Next **message** : Amit Klein: "RE: A new Sanctum white paper: "**Divide** and Conquer ...
    seclists.org/lists/webappsec/2004/Jan-Mar/0330.html - <u>Similar pages</u>

Writing a **Message** Filter Script [RTC]
Divide your filter into discrete sections for handling each class of **message**—response
and **request**—and implement their processing separately. ...
msdn.microsoft.com/library/en-us/ lcs2005/rtc/writing_a_**message**_filter_script.asp - 20k - <u>Cached</u> - <u>Similar pages</u>

    XML Files: WSDL, Web Services, and More -- MSDN Magazine, December ...
    And the correct code for generating the **Divide** response **message** is as follows:
    ... You use WebRequest to invoke an HTTP **request**. WSDL-based proxies are of ...
    msdn.microsoft.com/msdnmag/issues/02/12/XMLFiles/ - 47k - Dec 6, 2005 - <u>Cached</u> - <u>Similar pages</u>

[DDN] Urgent: digital **divide** data **request** for Shirin Ebadi
[DDN] Urgent: digital **divide** data **request** for Shirin Ebadi. Andy Carvin acarvin
at edc.org Mon Oct 31 10:41:21 EST 2005. Previous **message**: [DDN] DATABASES: ...
mailman.edc.org/pipermail/ digital**divide**/2005-October/004093.html - 6k - <u>Cached</u> - <u>Similar pages</u>

PHPXRef 0.5 : Xaraya : Full Variable Index
... $**divide** Definitions: 1 References: 4; $dlext Definitions: 1 References: 2 ...
$**message** Definitions: 29 References: 150; $message_type Definitions: 1 ...
www.xaraya.com/documentation/phpxref/_variables/ - 513k - <u>Cached</u> - <u>Similar pages</u>

Software AG - EntireX - The Next Generation of Integration Technology
This example shows two **messages**, **Divide** and DivideResponse, which can be used to
describe a client/server **request**/response. The details of each **message** ...
entirex.demozone.softwareag.com/ entirexdemozone/main_TopicExxWebServices_pm.html - 30k - <u>Cached</u> - <u>Similar pages</u>

Introduction to SOAP 1.1
Example SOAP **request** and response **messages** are shown for reference. ...

InvalidRequest</faultcode> <faultstring>Invalid **Request**: **Divide** operation not ...
www.awprofessional.com/articles/ article.asp?p=102285&seqNum=2 - 29k - Cached - Similar pages

Try your query on Google Book Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search   🔄 ·   ◉ 💿 9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

divide message request   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google